

1 Identification

- **Product identifier**
- **Trade name:** *IX Plus Automation Amplification Diluent*
- **Product number:** *FP1609*
- **Application of the substance / the mixture** *Laboratory chemicals*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*PerkinElmer Inc
549 Albany st
Boston, MA 02118*
- **Information department:**
*US Technical Support
800-762-4000*
- **Emergency telephone number:**
*If inside USA, call CHEMTREC at 1-800-424-9300
If outside USA, call CHEMTREC at 1-703-527-3887*

2 Hazard(s) identification


- **Classification of the substance or mixture**
Repr. 1 H360 May damage fertility or the unborn child.
- **Additional information:** *For the wording of the listed H phrases refer to section 16.*

-
- **Label elements**
 - **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
 - **Hazard pictograms**



GHS08

- **Signal word** *Danger*
- **Hazard statements**
May damage fertility or the unborn child.
- **Precautionary statements**
*Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wear protective gloves/protective clothing/eye protection/face protection.
IF exposed or concerned: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



*Health = 0
Fire = 0
Reactivity = 0*

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

1330-43-4	disodium tetraborate, anhydrous	<1%
10043-35-3	boric acid	<1%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

1330-43-4	disodium tetraborate, anhydrous	6 mg/m ³
10043-35-3	boric acid	6 mg/m ³
25322-68-3	Polyethylene glycol	30 mg/m ³
7722-84-1	hydrogen peroxide solution	10 ppm
12058-66-1	Sodium Stannate	11 mg/m ³

(Contd. on page 3)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 2)

· PAC-2:		
1330-43-4	disodium tetraborate, anhydrous	88 mg/m ³
10043-35-3	boric acid	23 mg/m ³
25322-68-3	Polyethylene glycol	1,300 mg/m ³
7722-84-1	hydrogen peroxide solution	50 ppm
12058-66-1	Sodium Stannate	120 mg/m ³
· PAC-3:		
1330-43-4	disodium tetraborate, anhydrous	530 mg/m ³
10043-35-3	boric acid	830 mg/m ³
25322-68-3	Polyethylene glycol	7,700 mg/m ³
7722-84-1	hydrogen peroxide solution	100 ppm
12058-66-1	Sodium Stannate	720 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· Components with limit values that require monitoring at the workplace:	
1330-43-4 disodium tetraborate, anhydrous (<1%)	
REL	Long-term value: 1 mg/m ³ anhydrous
TLV	Short-term value: 6* mg/m ³ Long-term value: 2* mg/m ³ *as inhalable fraction
10043-35-3 boric acid (<1%)	
TLV	Short-term value: 6* mg/m ³ Long-term value: 2* mg/m ³ *as inhalable fraction

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
Keep away from food and beverages.
Wash hands before breaks and at the end of work.
- **Respiratory protection:** Suitable respiratory protective device recommended.

(Contd. on page 4)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 3)

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· Form:	Fluid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.

· **pH-value:** N/A

· **Change in condition**

· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· Lower:	Not determined.
· Upper:	Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· Dynamic:	Not determined.
· Kinematic:	Not determined.

(Contd. on page 5)

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 4)

· Solvent content:	
Water:	84.4 %
VOC content:	0.00 %
· Solids content:	
· Other information	14.8 % No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

7722-84-1 hydrogen peroxide solution	3
--	---

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

- **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** N/A
- **Other information:** N/A
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)

US

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 5)

· **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must be specially treated adhering to official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· ADR, IMDG, IATA	not regulated
· UN proper shipping name	
· ADR, IMDG, IATA	not regulated
· Transport hazard class(es)	
· ADR, IMDG, IATA	
· Class	not regulated
· Packing group	
· ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture
· Sara
· Section 355 (extremely hazardous substances):
7722-84-1 hydrogen peroxide solution
· Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
· TSCA (Toxic Substances Control Act):
All ingredients are listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

(Contd. on page 7)

Material Safety Data Sheet

acc. to ISO 11014

Printing date 03/16/2018

Reviewed on 03/16/2018

Trade name: IX Plus Automation Amplification Diluent

(Contd. of page 6)

· **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

· **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

1330-43-4	disodium tetraborate, anhydrous	I (oral)
10043-35-3	boric acid	I (oral)

· **TLV (Threshold Limit Value established by ACGIH)**

1330-43-4	disodium tetraborate, anhydrous	A4
10043-35-3	boric acid	A4
7722-84-1	hydrogen peroxide solution	A3

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

The information provided in this Material Safety Data Sheet is based on our present knowledge, and believed to be correct at the date of publication. However, no representation is made concerning its accuracy and completeness. It is intended as guidance only, and is not to be considered a warranty or quality specification. All materials may present unknown hazards, and should be used with caution. Although certain hazards are described, we cannot guarantee that these are the only hazards which exist. PerkinElmer, Inc. shall not be held liable for any damage resulting from handling or from contact with the product.

· **Date of preparation / last revision** 03/16/2018 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Repr. 1: Reproductive toxicity – Category 1